

MOSER, PATTERSON & SHERIDAN, L.L.P.

Attorneys at Law
3040 Post Oak Boulevard, Suite 1500
Houston, Texas 77056-6582
Telephone (713) 623-4844
Facsimile (713) 623-4846
www.mpsllp.com

Official

FAX RECEIVED
JUN 27 2002
GROUP 1700

FACSIMILE COVER SHEET

DATE: June 27, 2002	FILE NO: AMAT/2601.P7/CPI/COPPER/RKK
TO: Examiner D. Valentine	FAX NO: 703/872-9310
COMPANY: USPTO	
FROM: Ari Pramudji	PAGE(S): 16 with cover
MESSAGE:	Original to Follow <input type="checkbox"/> YES <input type="checkbox"/> NO

RESPONSE TO OFFICE ACTION DATED APRIL 11, 2002

U.S. SERIAL NO.: 09/687,053
FILING DATE: October 12, 2000
EXAMINER: D. Valentine
GROUP ART UNIT: 1741
CONFIRMATION NO.: 1116

CONFIDENTIALITY NOTE

The document accompanying this facsimile transmission contains information from the law firm of Moser, Patterson & Sheridan, L.L.P. which is confidential or privileged. The information is intended to be for the use of the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this faxed information is prohibited. If you have received this facsimile in error, please notify us by telephone immediately so that we can arrange for the retrieval of the original documents at no cost to you.

T:\Clients\Apm\2000-2999\2601.P7\LTR\PTO FACSIMILE COVER SHEET.doc

A

PATENT
Atty. Dkt. No. AMAT/2601.P7/CPI/COPPER/RKK

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Hey et al.

Serial No.: 09/687,063

Confirmation No.: 1116

Filed: October 12, 2000

For: Deposition Uniformity
Control for Electroplating
Apparatus and Associated
Method

Group Art Unit: 1741

Examiner: Valentine, D

Assistant Commissioner for Patents
Washington, D.C. 20231CERTIFICATE OF FAX
37 CFR 1.8I hereby certify that this correspondence is being facsimile
transmitted to the Patent and Trademark Office to the fax
number indicated by the Examiner, namely (703) 872-9310, to
the attention of Examiner Valentine, on the date below:6/27/02
Date[Signature]
SignatureFAX RECEIVED
JUN 27 2002
GROUP 1700

RESPONSE TO OFFICE ACTION DATED APRIL 11, 2002

In response to the Office Action dated April 11, 2002, having a shortened statutory period for response set to expire on July 11, 2002, please enter the following amendments and reconsider the claims pending in the application for reasons discussed below. The Commissioner is authorized to charge Deposit Account No. 20-0782/2601.P7/CPI/COPPER/RKK in the amount of \$174.00 for the addition of five claims, one of which is independent, along with any fees necessary to make this response timely.

IN THE SPECIFICATION:

Please delete the specification from page 53, line 5 to page 58, line 21.

On page 59, lines 13-28, please amend as follows:

One end of the cantilever arm 2456 is connected to the shaft 2453 of the cantilever arm actuator 2457, such as a pneumatic cylinder, a lead-screw actuator, or a servo-motor. The cantilever arm actuator 2457 is mounted on the mounting post 2454. The pivot joint 2459 pivotably connects the cantilever arm 2456 and the

[CLIENTS\APPM2000-2999\2601.P7\PTO\ROA-041102.DOC]

Page 1